

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| S1 | 1 | "20040078552" | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/19 10:57 |
| S2 | 1 | impdep | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/14 17:48 |
| S3 | 1 | impdep | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/14 17:48 |
| S4 | 24 | impdep\$1 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 09:48 |
| S6 | 3 | (("6,014,735") or ("6,760,832") or ("6,917,997") or ("6.154.819")).PN. or (2002/0169945).CCLS. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | OFF | 2005/12/15 10:58 |
| S7 | 15 | (US-20020161989-\$ or US-20020169945-\$ or US-20030005269-\$ or US-20030024992-\$ or US-20030065911-\$ or US-20030159019-\$ or US-20040162964-\$).did. or (US-5499248-\$ or US-6014735-\$ or US-6021265-\$ or US-6076155-\$ or US-6658560-\$ or US-6760832-\$ or US-6799269-\$ or US-6917997-\$). did. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 16:37 |
| S8 | 13 | prefix WITH instruction sets | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 16:41 |
| S9 | 80 | switch WITH instruction sets | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 16:48 |
| S10 | 512 | 712/209 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 16:49 |
| S11 | 322 | 712/209.CCLS. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 17:36 |

| | | | | | | |
|-----|-----|--|---------------------------------|-----|-----|------------------|
| S12 | 19 | 712/209.CCLS. AND (cell phone OR cellular) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 16:58 |
| S13 | 61 | 712/209.CCLS. AND prefix | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/15 17:36 |
| S14 | 1 | predecoding WITH instruction sets | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/16 09:21 |
| S15 | 5 | predecoding WITH instruction set | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/16 09:21 |
| S16 | 223 | predecod\$3 WITH instruction set\$1 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/16 09:36 |
| S17 | 0 | instruction alignment unit | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/16 09:37 |
| S18 | 297 | instruction alignment unit | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/16 09:42 |
| S19 | 10 | instruction alignment unit WITH stages | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/16 09:42 |
| S20 | 1 | ("20040078552").PN. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | OFF | 2005/12/19 11:24 |
| S21 | 0 | ("javaco-processorSAMEphone").PN. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | OFF | 2005/12/19 11:25 |
| S22 | 0 | java co-processor SAME (phone OR cellular) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/19 11:27 |
| S23 | 3 | java WITH co-processor AND (phone OR cellular) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/19 11:28 |

| | | | | | | |
|-----|----|---|--|-----|-----|------------------|
| S24 | 16 | java WITH (co-processor\$1 OR coprocessor\$1) AND (phone\$1 OR cellular OR cell phone\$1) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2005/12/19 11:29 |
| S25 | 1 | ("6014735").PN. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | OFF | 2005/12/19 14:57 |
| S26 | 1 | ("6161172").PN. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | OFF | 2005/12/20 15:51 |